Website Analysis: atomprom-stal.ru

Generated on May 14 2025 18:44 PM

The score is 55/100

SEO Content

⚠️	Title	АтомПромСтальЕкб металлопрокат и специальное оборудование из нержавеющей стали Length : 78 Ideally, your title should contain between 10 and 70 characters (spaces included). Use this free tool to calculate text length.
❌	Description	Length : 0 Very bad. We haven't found meta description on your page. Use this free online meta tags generator to create description.
✅	Keywords	Арматура, бакла, уголок, швеллер, лист горячекатаный, лист холоднокатаный, лист оцинкованый, лист рифленый, лист пвл, шестигранник, круг, поковка, квадрат, катанка, труба профильная, труба сварная, труба холоднокатаная, труба тослстостенная, труба водогазопроводная, труба вгп, труба асбоцементная, проволока вр1, проволока увязочная, труба бу, канат, отвод, Good, your page contains meta keywords.
✅	Og Meta Properties	Good, your page take advantage of Og Properties.

Property	Content
type	website
url	https://atomprom-stal.ru/
image	https://atomprom-stal.ru/uploads/logo.png
site_name	Atomprom-stal.ru

⚪	Headings	H1 0	H2 1	H3 0	H4 0	H5 0	H6 0

- [H2] Производство эксклюзивного нейтрального табачного оборудования из нержавеющей стали.

SEO Content

❌	Images	We found 11 images on this web page. 1 alt attributes are empty or missing. Add alternative text so that search engines can better understand the content of your images.
✅	Text/HTML Ratio	Ratio : 37% Ideal! This page's ratio of text to HTML code is between 25 and 70 percent.
✅	Flash	Perfect, no Flash content has been detected on this page.
✅	Iframe	Great, there are no Iframes detected on this page.

SEO Links

✅	URL Rewrite	Good. Your links looks friendly!
✅	Underscores in the URLs	Perfect! No underscores detected in your URLs.
✅	In-page links	We found a total of 11 links including 0 link(s) to files
⚪	Statistics	External Links : noFollow 0% External Links : Passing Juice 9.09% Internal Links 90.91%

In-page links

Anchor	Type	Juice
-	Internal	Passing Juice
Продукция	Internal	Passing Juice
ООО ТД Тк#1	External	Passing Juice
Натрий металлический технический 99,8% ГОСТ 3273-75	Internal	Passing Juice
Натрий металлический технический 99,8% ГОСТ 3273-75.	Internal	Passing Juice

In-page links

О компании	Internal	noFollow
Услуги	Internal	noFollow
Новости	Internal	noFollow
Фотогалерея	Internal	noFollow
Контакты и Реквизиты	Internal	noFollow
Сделать заказ	Internal	noFollow

SEO Keywords

Keywords Cloud	технический **оборудования для** гост стали металлический прокат заказ натрий табачной

Keywords Consistency

Keyword	Content	Title	Keywords	Description	Headings
для	10	✖	✖	✖	✖
оборудования	6	✖	✖	✖	✔
стали	5	✔	✖	✖	✔
прокат	5	✔	✖	✖	✖
натрий	5	✖	✖	✖	✖

Usability

	Url	Domain : atomprom-stal.ru Length : 16
	Favicon	Great, your website has a favicon.
	Printability	We could not find a Print-Friendly CSS.

Usability

	Language	Good. Your declared language is ru.
	Dublin Core	This page does not take advantage of Dublin Core.

Document

	Doctype	HTML 5
	Encoding	Perfect. Your declared charset is UTF-8.
	W3C Validity	Errors : 16 Warnings : 9
	Email Privacy	Great no email address has been found in plain text!
	Deprecated HTML	Great! We haven't found deprecated HTML tags in your HTML.
	Speed Tips	✔ Excellent, your website doesn't use nested tables.
		✖ Too bad, your website is using inline styles.
		✔ Great, your website has few CSS files.
		✖ Too bad, your website has too many JS files (more than 6).
		✖ Too bad, your website does not take advantage of gzip.

Mobile

	Mobile Optimization	✖ Apple Icon
		✖ Meta Viewport Tag
		✔ Flash content

Optimization

✅	XML Sitemap	Great, your website has an XML sitemap. http://atomprom-stal.ru/sitemap.xml https://atomprom-stal.ru/sitemap.xml
✅	Robots.txt	http://atomprom-stal.ru/robots.txt Great, your website has a robots.txt file.
❌	Analytics	Missing We didn't detect an analytics tool installed on this website. Web analytics let you measure visitor activity on your website. You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.