



# Website beoordeling shreeelectrical.in

Ge genereerd op Juli 19 2024 08:15 AM



De score is 63/100







## SEO Content

	<b>Title</b>	<p>Flameproof Control Panel   Flameproof LED Light Fitting</p> <p>Lengte : 55</p> <p>Perfect, uw title tag bevat tussen de 10 en 70 karakters.</p>												
	<b>Description</b>	<p>Manufacturer of Flameproof LED Light Fitting, Flameproof Clean Room Switch Gear &amp; Flameproof Light Fitting offered by shreeelectrical.</p> <p>Lengte : 138</p> <p>Perfect, uw meta description bevat tussen de 70 en 160 karakters.</p>												
	<b>Keywords</b>	<p>Erg slecht. We hebben geen meta keywords gevonden in uw website. Gebruik <a href="#">deze gratis online meta tags generator</a> om keywords te genereren.</p>												
	<b>Og Meta Properties</b>	<p>Goed, uw page maakt gebruik van Og Properties.</p> <table border="1" data-bbox="542 1310 1481 1814"> <thead> <tr> <th>Property</th> <th>Content</th> </tr> </thead> <tbody> <tr> <td>title</td> <td>Flameproof Control Panel   Flameproof LED Light Fitting</td> </tr> <tr> <td>description</td> <td>Manufacturer of Flameproof LED Light Fitting, Flameproof Clean Room Switch Gear &amp; Flameproof Light Fitting offered by shreeelectrical.</td> </tr> <tr> <td>type</td> <td>website</td> </tr> <tr> <td>url</td> <td>https://www.shreeelectrical.in/</td> </tr> </tbody> </table>	Property	Content	title	Flameproof Control Panel   Flameproof LED Light Fitting	description	Manufacturer of Flameproof LED Light Fitting, Flameproof Clean Room Switch Gear & Flameproof Light Fitting offered by shreeelectrical.	type	website	url	https://www.shreeelectrical.in/		
Property	Content													
title	Flameproof Control Panel   Flameproof LED Light Fitting													
description	Manufacturer of Flameproof LED Light Fitting, Flameproof Clean Room Switch Gear & Flameproof Light Fitting offered by shreeelectrical.													
type	website													
url	https://www.shreeelectrical.in/													
	<b>Headings</b>	<table border="1" data-bbox="542 1848 1481 1926"> <thead> <tr> <th>H1</th> <th>H2</th> <th>H3</th> <th>H4</th> <th>H5</th> <th>H6</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>5</td> <td>7</td> <td>4</td> <td>1</td> <td>0</td> </tr> </tbody> </table> <ul data-bbox="614 1948 1428 2072" style="list-style-type: none"> <li>• [H2] ELECTRICITY IS REALLY JUST ORGANIZED LIGHTNING.</li> <li>• [H2] Certified with</li> <li>• [H2] Our Products</li> <li>• [H2] Quality Policy</li> </ul>	H1	H2	H3	H4	H5	H6	0	5	7	4	1	0
H1	H2	H3	H4	H5	H6									
0	5	7	4	1	0									

## SEO Content

		<ul style="list-style-type: none"><li>• [H2] Why Us?</li><li>• [H3] About us</li><li>• [H3] Schedule a call</li><li>• [H3] Drop an email</li><li>• [H3] Manufacturing Facility.</li><li>• [H3] Customized Solutions.</li><li>• [H3] Our Team.</li><li>• [H3] We have vast experience in major Infrastructure projects</li><li>• [H4] Need Support or Do You Want To Work With Us ?</li><li>• [H4] Call Us</li><li>• [H4] Mail us</li><li>• [H4] Social</li><li>• [H5] 2024 © Shreelectrical. ALL Rights Reserved.</li></ul>
	Afbeeldingen	We vonden 16 afbeeldingen in de pagina.  5 alt attributen ontbreken. Voeg alternatieve text toe zodat zoekmachines beter kunnen beoordelen wat het onderwerp van de afbeeldingen is.
	Text/HTML Ratio	Ratio : 31%  Ideaal! De ratio van text tot HTML code is tussen de 25 en 70 procent.
	Flash	Perfect, geen Flash content gevonden in uw website.
	Iframe	Perfect, er zijn geen Iframes in uw website aangetroffen.

## SEO Links

	Herschreven URL	Perfect. Uw links zien er vriendelijk uit!
	Underscores in de URLs	Perfect! Geen underscores gevonden in uw URLs.
	In-page links	We vonden een totaal van 68 links inclusie 0 link(s) naar bestanden
	Statistics	Externe Links : noFollow 0%  Externe Links : doFollow 0%  Interne Links 100%

## In-page links

Ankertekst	Type	
<a href="#">Contact Us</a>	Intern	doFollow
<a href="#">Blogs</a>	Intern	doFollow
<a href="#">Events</a>	Intern	doFollow
<a href="#">Home</a>	Intern	doFollow
<a href="#">About Us</a>	Intern	doFollow
<a href="#">Certificates</a>	Intern	doFollow
<a href="#">Products</a>	Intern	doFollow
<a href="#">ATEX Flameproof AC Drive Panel</a>	Intern	doFollow
<a href="#">ATEX Flameproof Automation Controller</a>	Intern	doFollow
<a href="#">ATEX Flameproof Motion Control Panel</a>	Intern	doFollow
<a href="#">Flame Proof Instrument Control Panel</a>	Intern	doFollow
<a href="#">Flameproof 3 Push Button station</a>	Intern	doFollow
<a href="#">Flameproof Automatic Control System</a>	Intern	doFollow
<a href="#">Flameproof Cable Glands</a>	Intern	doFollow
<a href="#">Flameproof Control Panel</a>	Intern	doFollow
<a href="#">Flameproof Data Loggers</a>	Intern	doFollow
<a href="#">Flameproof Emg Stop DJB</a>	Intern	doFollow
<a href="#">Flameproof Emg Stop SJB</a>	Intern	doFollow
<a href="#">Flameproof Exhaust Fan</a>	Intern	doFollow
<a href="#">Flameproof Gland 3/4"ET</a>	Intern	doFollow
<a href="#">Flameproof Hand Lamp</a>	Intern	doFollow
<a href="#">Flameproof Hooter</a>	Intern	doFollow
<a href="#">Flameproof Hooter and Flasher</a>	Intern	doFollow
<a href="#">Flameproof Hooter with Flasher</a>	Intern	doFollow
<a href="#">ATEX Flameproof Instrumentation Panel</a>	Intern	doFollow
<a href="#">ATEX Flameproof Instrument Enclosure</a>	Intern	doFollow
<a href="#">Flameproof Junction Box(110mm)</a>	Intern	doFollow

## In-page links

<a href="#">ATEX Junction Boxes</a>	Intern	doFollow
<a href="#">ATEX Flameproof Multiway Junction Box</a>	Intern	doFollow
<a href="#">ATEX Flameproof Junction Box</a>	Intern	doFollow
<a href="#">ATEX Flameproof Fire Fighting Enclosures</a>	Intern	doFollow
<a href="#">Flameproof Light Fittings</a>	Intern	doFollow
<a href="#">Flameproof Tube Light Fluorescent and LED</a>	Intern	doFollow
<a href="#">Flameproof &amp; Explosion Proof LED Well Glass Light Fitting</a>	Intern	doFollow
<a href="#">Flameproof Manual call point</a>	Intern	doFollow
<a href="#">Flameproof MCC Control System</a>	Intern	doFollow
<a href="#">Flameproof Motor Control Panel</a>	Intern	doFollow
<a href="#">Flameproof PLC Automation Control Panel</a>	Intern	doFollow
<a href="#">Flameproof Plug and Socket</a>	Intern	doFollow
<a href="#">Flameproof Push Button Stations</a>	Intern	doFollow
<a href="#">Flameproof Rotary Switch</a>	Intern	doFollow
<a href="#">Flameproof Fire Alarm</a>	Intern	doFollow
<a href="#">Flameproof Fork Lever Type Limit Switch</a>	Intern	doFollow
<a href="#">Flameproof Rotary Switch 16A</a>	Intern	doFollow
<a href="#">Flameproof Star/Stop SJB</a>	Intern	doFollow
<a href="#">Flameproof Vaccum Control Panel</a>	Intern	doFollow
<a href="#">Flameproof Variable Frequency Drive Panel</a>	Intern	doFollow
<a href="#">Flameproof Variable Speed Control Panel</a>	Intern	doFollow
<a href="#">Flameproof Vessel lamp</a>	Intern	doFollow
<a href="#">Flameproof VFD Control Panel</a>	Intern	doFollow
<a href="#">Flameproof Pendant Light Fixture</a>	Intern	doFollow
<a href="#">Flameproof J Hook Light Fixture</a>	Intern	doFollow
<a href="#">Flameproof Bulk Head Light Fixture</a>	Intern	doFollow
<a href="#">Flameproof Integrates Well Glass Fittings</a>	Intern	doFollow
<a href="#">Flameproof Wellglass light 40W</a>	Intern	doFollow

## In-page links

<a href="#">FLP/WP S/W Socket Combine 2 P+E 30A, 250V</a>	Intern	doFollow
<a href="#">FLP/WP S/W Socket Combine 2 P+E 16A 250V</a>	Intern	doFollow
<a href="#">FLP/WP S/W Socket Combine 3 P+E 16A, 500V</a>	Intern	doFollow
<a href="#">Sheet Metal Electrical Panels</a>	Intern	doFollow
<a href="#">Electrical Control VFD Panel</a>	Intern	doFollow
<a href="#">Sheet Metal MCC Control System</a>	Intern	doFollow
<a href="#">Sheet Metal Control Unit</a>	Intern	doFollow
<a href="#">Sheet Metal Electrical Process Control Panel</a>	Intern	doFollow
<a href="#">Single JB With Glass Window</a>	Intern	doFollow
<a href="#">Feedback</a>	Intern	doFollow
<a href="#">Clients</a>	Intern	doFollow
<a href="#">Electrical Control Panel</a>	Intern	doFollow
<a href="#">Privacy Policy</a>	Intern	doFollow

## SEO Keywords





## Keywords Consistentie

Keyword	Content	Title	Keywords	Description	Headings
flameproof	94	✓	✗	✓	✗
panel	37	✓	✗	✗	✗
control	35	✓	✗	✗	✗
atex	20	✗	✗	✗	✗
light	15	✓	✗	✓	✓


## Bruikbaarheid

	Url	Domein : shreeelectrical.in Lengte : 18
	Favicon	Goed, uw website heeft een favicon.
	Printbaarheid	Jammer. We vonden geen Print-Vriendelijke CSS.
	Taal	Goed. Uw ingestelde taal is en.
	Dublin Core	Deze pagina maakt geen gebruik van Dublin Core.





## Document

	Doctype	HTML 5
	Encoding	Perfect. Uw ingestelde Charset is UTF-8.
	W3C Validiteit	Fouten : 0 Waarschuwingen : 0
	E-mail Privacy	Waarschuwing! Er is op zijn minst 1 e-mailadres gevonden als platte tekst. (voorkom spam!). Gebruik <a href="#">deze gratis antispam protector</a> om e-mailadressen te verbergen voor spammers.
	Niet ondersteunde HTML	Geweldig! We hebben geen niet meer ondersteunde HTML tags gevonden in uw HTML.
	Speed Tips	<ul style="list-style-type: none"><li> Geweldig, uw website heeft geen tabellen in een tabel.</li><li> Jammer, uw website maakt gebruik van inline styles.</li><li> Geweldig, uw website heeft een correct aantal CSS bestanden.</li><li> Jammer, uw website heeft teveel JS bestanden (meer dan 6).</li><li> Jammer, uw website haalt geen voordeel uit gzip.</li></ul>

## Mobile

	Mobile Optimization	<ul style="list-style-type: none"><li data-bbox="555 197 767 232">✘ Apple Icon</li><li data-bbox="555 264 879 300">✔ Meta Viewport Tag</li><li data-bbox="555 331 810 367">✔ Flash content</li></ul>
--	---------------------	--

## Optimalisatie

	XML Sitemap	<p data-bbox="539 577 1161 613">Geweldig, uw website heeft een XML sitemap.</p> <ul style="list-style-type: none"><li data-bbox="555 658 1043 694"><a href="http://shreeelectrical.in/sitemap.xml">http://shreeelectrical.in/sitemap.xml</a></li><li data-bbox="555 716 1225 752"><a href="https://www.shreeelectrical.in/sitemap_pages.xml">https://www.shreeelectrical.in/sitemap_pages.xml</a></li><li data-bbox="555 775 1286 810"><a href="https://www.shreeelectrical.in/sitemap_categories.xml">https://www.shreeelectrical.in/sitemap_categories.xml</a></li><li data-bbox="555 833 1264 869"><a href="https://www.shreeelectrical.in/sitemap_products.xml">https://www.shreeelectrical.in/sitemap_products.xml</a></li><li data-bbox="555 891 1273 927"><a href="https://www.shreeelectrical.in/sitemap_blogposts.xml">https://www.shreeelectrical.in/sitemap_blogposts.xml</a></li></ul>
	Robots.txt	<p data-bbox="539 978 995 1014"><a href="http://shreeelectrical.in/robots.txt">http://shreeelectrical.in/robots.txt</a></p> <p data-bbox="539 1046 1225 1081">Geweldig uw website heeft een robots.txt bestand.</p>
	Analytics	<p data-bbox="539 1113 1139 1149">Perfect, uw website heeft een analytics tool.</p> <ul style="list-style-type: none"><li data-bbox="555 1193 858 1238"> Google Analytics</li></ul>